Ref #	Hits	Search Query	DBs	Default Operato r	Plural	Time Stamp
L1	328	((mobile iterant) adj agent).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 18:11
L2	66	1 and (@rlad<"19980831" @pd<"19980831" @ad<"19980831")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:56
L3	2	(pager and beeper and (electronic e) adj (mail messag\$3) and smart adj telephone)	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/11/12 16:41
			DERWENT; IBM TDB		£ (7.)	
L4	53	((pager beeper) and (electronic e) adj (mail messag\$3) and smart adj telephone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:41
L5	23	((pager beeper) and (electronic e) adj (mail messag\$3) and smart adj telephone) same (user client human)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:37
L6	2	"20020078277".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/12 17:37
L7	2	6 and data adj structure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	.2006/11/12 17:49
L8	1	(US-5901287-\$).did.	USPAT	OR	ON	2006/11/12 17:49

L9	1	8 and smart adj telephone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:55
L11	7494	(array hash adj table tuple adj space) with data adj structure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:56
L12	2352	11 and (@rlad<"19980831" @pd<"19980831" @ad<"19980831")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 18:11
L13	916	((array hash adj table tuple adj space) with data adj structure).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/11/12
			DERWENT; IBM_TDB	100	*	50
L14	319	13 and (@rlad<"19980831" @pd<"19980831" @ad<"19980831")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/11/12 17:56
L15	0	((array and hash adj table and tuple adj space) with data adj structure).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ОИ	2006/11/12 17:57
L16	2	((array and hash adj table and tuple adj space) with data adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:58
L17	9	((array and hash and tuple) with data adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:57

	<u> </u>	<u> </u>				
L18	3	((hash adj table and tuple adj space) with data adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:58
L19	1	(US-5901287-\$).did.	USPAT	OR	ON	2006/11/12 18:06
L20		19 and (agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 18:09
L21	1	19 and (persistent with agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 18:09
L22	693	((persistent) with agent).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12
L23	326	22 and (@rlad<"19980831" @pd<"19980831" @ad<"19980831")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 18:11
L24	66	((persistent) near agent).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 18:11
L25	36	24 and (@rlad<"19980831" @pd<"19980831" @ad<"19980831")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 18:45
L26	54	persistent adj agent and (@rlad<"19980831" @pd<"19980831" @ad<"19980831")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 18:47

L27	4444	travel with site and (@rlad<"19980831" @pd<"19980831"	US-PGPUB; USPAT; USOCR;	OR	ON	2006/11/12 18:47
		@ad<"19980831")	EPO; JPO;			
			DERWENT; IBM_TDB			